

Page 2, between the first and second paragraphs (i.e., before the paragraph, "Further aspects and advantages of the present invention...."), centered on page, insert heading as follows:

a4 --BRIEF DESCRIPTION OF THE DRAWINGS--

Page 2, between the third and forth paragraphs (i.e., before the paragraph, "With reference firstly to the above-listed Figures and...."), centered on page, insert a heading as follows:

a5 --DETAILED DESCRIPTION OF PREFERRED EMBODIMENTS--

Page 10, rewrite heading (entitled "CLAIMS") to read as follows:

a6 --WHAT IS CLAIMED IS:--

IN THE CLAIMS:

Amend claim 1 as follows:

sub. B1
a7 1. (Once Amended) A security device particularly suitable for a valuables case, having at least one electric power source and an alarm system electrically connected to said power source, said alarm system comprising at least one light-responsive means that is installed in a valuables case and is energized by the said electric power source upon control and by a change in environment lighting conditions, whereby generating at least one control signal for energizing the said alarm system.

[Amend claim 2 as follows:]

2. (Once Amended) A security device according to claim 1, comprising a key for the activation of said light-responsive means.

[Amend claim 3 as follows:]

3. (Once Amended) A security device according to claim 2, comprising a control means for said light-responsive means.

[Amend claim 4 as follows:]

4. (Once Amended) A security device as claimed in claim 1, comprising a signal transmitter unit installed in said valuables case and a receiving unit arranged to receive signals transmitted by said transmitter unit.

[Amend claim 5 as follows:]

5. (Once Amended) A security device according to claim 4, wherein the said transmitter unit is a satellite transmitter unit controlled by said control means.

[Amend claim 6 as follows:]

6. (Once Amended) A security device according to claim 1, wherein said light-responsive means comprises a luminosity levels sensor.

[Amend claim 7 as follows:]

7. (Once Amended) A security device according to claim 6, wherein said luminosity level sensor comprises at least one photodiode.

[Amend claim 8 as follows:]

8. (Once Amended) A security device according to claim 3, wherein said control means comprises a photocoupler including a diode and a transistor, said diode being connected to

2005-11-01 14:00:00

Sub.
Bl

27

the, or to each of the light-responsive means, said transistor being connected to a control device controlled by said photocoupler depending on the behavior of said light-responsive means.

Amend claim 9 as follows:

9. (Once Amended) A security device according to claim 5, wherein said control means comprises an inductor designed to generate a magnetic field.

Amend claim 10 as follows:

10. (Once Amended) A security device according to claim 1, wherein said alarm system comprises a sounder alarm and a door locking system.

Amend claim 11 as follows:

11. (Once Amended) A security device according to claim 1, wherein said alarm system is a remotely controlled system.

Amend claim 12 as follows:

sub.B1

12. (Once Amended) A security device according to claim 8, wherein said control means comprises a first operational amplifier.

Amend claim 13 as follows:

13. (Once Amended) A security device according to claim 8, wherein said control device comprises a second operational amplifier.

2025-11-01 14:01:02

[Amend claim 14 as follows:]

14. (Once Amended) A security device according to claim 1, comprising a sequencer means.

[Amend claim 15 as follows:]

15. (Once Amended) A security device according to claim 14, wherein said sequencer means comprises two logic NAND-type ports.

[Amend claim 16 as follows:]

16. (Once Amended) A security device according to claim 1, wherein said light-responsive means comprises an infrared sensor

[Amend claim 17 as follows:]

17. (Once Amended) A security device according to claim 16, comprising an infrared emitter located at a sales or display counter.

[Amend claim 18 as follows:]

18. (Once Amended) A security device according to claim 1, comprising a luminosity detection circuit indicating the electric power source charge level.

[Amend claim 19 as follows:]

19. (Once Amended) A security device according to claim 1, comprising a sensitivity selector for the, or for each of the light-responsive means.